



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/567,096

02/21/2006

Satoshi Yamamoto

126840

4629

25944

7590

10/31/2007

OLIFF & BERRIDGE, PLC

P.O. BOX 320850

ALEXANDRIA, VA 22320-4850

EXAMINER

ORLANDO, MICHAEL N

ART UNIT

PAPER NUMBER

4123

MAIL DATE

DELIVERY MODE

10/31/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/567,096

Applicant(s)

YAMAMOTO ET AL.

Examiner

Michael N. Orlando

Art Unit

4123

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 21 February 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-28 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-28 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>02/03/2006</u> | 6) <input type="checkbox"/> Other: _____ |

Art Unit: 4123

DETAILED ACTION

Specification

1. The lengthy specification has not been checked to the extent necessary to determine the presence of all possible minor errors. Applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification. The specification exceeds the length of 20 pages and therefore is considered to be lengthy.
2. The following guidelines illustrate the preferred layout for the specification of a utility application. These guidelines are suggested for the applicant's use.

Arrangement of the Specification

As provided in 37 CFR 1.77(b), the specification of a utility application should include the following sections in order. Each of the lettered items should appear in upper case, without underlining or bold type, as a section heading. If no text follows the section heading, the phrase "Not Applicable" should follow the section heading:

- (a) TITLE OF THE INVENTION.
- (b) CROSS-REFERENCE TO RELATED APPLICATIONS.
- (c) STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH OR DEVELOPMENT.
- (d) THE NAMES OF THE PARTIES TO A JOINT RESEARCH AGREEMENT.
- (e) INCORPORATION-BY-REFERENCE OF MATERIAL SUBMITTED ON A COMPACT DISC.
- (f) BACKGROUND OF THE INVENTION.
 - (1) Field of the Invention.
 - (2) Description of Related Art including information disclosed under 37 CFR 1.97 and 1.98.
- (g) BRIEF SUMMARY OF THE INVENTION.
- (h) BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWING(S).
- (i) DETAILED DESCRIPTION OF THE INVENTION.
- (j) CLAIM OR CLAIMS (commencing on a separate sheet).
- (k) ABSTRACT OF THE DISCLOSURE (commencing on a separate sheet).
- (l) SEQUENCE LISTING (See MPEP § 2424 and 37 CFR 1.821-1.825. A "Sequence Listing" is required on paper if the application discloses a nucleotide or amino acid sequence as defined in 37 CFR 1.821(a) and if

Art Unit: 4123

the required "Sequence Listing" is not submitted as an electronic document on compact disc).

3. The disclosure is objected to because of the following informalities: The phrase "workpiece 1 that molded" should be changed to -workpiece 1 that is molded- (abstract). Also, many of the sentences are either unclear or grammatically incorrect (page 4, lines 4-5; page 4, lines 8-9; page 6, lines 3-5; page 6, lines 9-10; page 14, lines 11-15). The specification has been found to contain numerous unclear sentences and grammatical errors, perhaps due to translational errors, but the application as whole should be properly revised to remove said numerous grammatical errors (only some of the examples are noted above). Furthermore, the content of the application was found to be sufficient, however, the specification should be accompanied by the proper headings as stated above in the arrangement of the specification.

Appropriate correction is required.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

4. Claims 24, 27 and 28 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. The claim is written in such a way that it is unclear to the examiner as to the desired limitations; however, by deductive reasoning it is determined by the applicant that claim 24 is drawn towards the aspects of applicant's

figures 2 and 3. The claim should be written in such a way that it is clear as to the subject matter which applicant regards as the invention.

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

7. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Art Unit: 4123

8. Claim 1 is rejected under 35 U.S.C. 103(a) as being unpatentable over Joachimi et al. (US 2003/0125429 A1) in view of Baumann et al. (US 7,148,286 B2).

Regarding claim 1, Joachimi et al. teaches a thermoplastic molding composition (thermoplastic resin) and moulded parts produced therefrom, which is laser-transmitting (i.e. transparent) to lasers in the range of 700-1200nm ([0001]) and is used for laser welding ([0001]). The composition is taught to contain inorganic pigments such as titanium dioxide ([0067]) whereby said pigments are added as a colorant and if they absorb in the region of the laser utilized in the laser welding process then they may be used in small quantities so as to allow for at least partial transmission of the laser light ([0067]). Joachimi et al. further teaches that the titanium dioxide utilized can be rutile, which is a natural form of titanium dioxide known to possess a density in the range of 5.5 - 6.5 g/cm³ (at least 4 g/cm³). It is recognized by the examiner that titanium dioxide (rutile) was a well-known pigment at the time of the invention and it was understood that the color of said rutile was a brilliant white. It is also recognized by the examiner that although the composition is not explicitly stated as white, gray or tint color, given the short list of dyes presented by Joachimi et al. it would have been easily understood by one of ordinary skill in the art that said color scheme was easily attainable by utilizing the colorants set forth by the invention. It is further taught by Joachimi et al. that the utilization of pigments in the moulding composition is kept at a low level and given the examples of moulding composition mixes disclosed, the pigments are taught to at most account for 0.52 wt% (table 1, examples 1-4). It is recognized by the examiner that 0.52

Art Unit: 4123

wt% of the pigment would equate to approximately 0.5 parts by weight of the pigment per 100 parts by weight of the moulding composition.

Joachimi et al. fails to explicitly teach the particle size of the titanium oxide in the range of 100-400nm and also fails to teach that the overall composition has a ratio of 100 parts by weight of a thermoplastic resin to 0.01-3 parts by weight of the titanium oxide.

Baumann et al. teaches a laser sintering powder comprising polyamide (a thermoplastic resin) mixed with titanium dioxide particles with particle sizes preferably in the range of 0.01 μ m – 0.75 μ m (10-750nm) (column 4, lines 45-53).

It would have been obvious to one of ordinary skill in the art at the time of the invention to include the titanium oxide in the amount of 0.01-3 parts by weight per 100 parts by weight of the thermoplastic resin in light of the teachings of Joachimi et al. because it was known that if pigments are added as a colorant and they absorb in the region of the laser utilized in the laser welding process then they should be used in small quantities so as to allow for at least partial transmission of the laser light ([0067]) and furthermore the explicit examples taught by Joachimi et al. indicate that other such pigments are utilized in the range of approximately 0.5 parts by weight of the pigment per 100 parts by weight of the thermoplastic resin (table 1, examples 1-4). It would have also been obvious to one of ordinary skill in the art at the time of the invention to modify the invention taught by Joachimi et al. and use titanium dioxide with an average particle size in the range of 100-400nm in view of Baumann et al. because it was known that using particle sizes in a substantially similar range (10-750nm) allows for greater

Art Unit: 4123

uniformity of distribution of the titanium dioxide particles (column 4, lines 49-53). One of ordinary skill in the art would have understood that the uniform distribution of the titanium dioxide particles is a critical feature that would have given a uniformly colored appearance and would have consequently lead to a decreased need for the amount of colorant used that would have otherwise resulted from the inefficiency of having concentrated regions of the pigment particles. It is recognized by the examiner that Baumann et al. does not teach the exact particle size range of 100-400nm, but it would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize said particle sizes, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. (*In re Aller*, 105 USPQ)

9. Claims 1-23, 25 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Joachimi et al. (US 2003/0125429 A1) in view of Aylward et al. (US 5,998,119).

Regarding claim 1, Joachimi et al. teaches a thermoplastic molding composition (thermoplastic resin) and moulded parts produced therefrom, which is laser-transmitting (i.e. transparent) to lasers in the range of 700-1200nm ([0001]) and is used for laser welding ([0001]). The composition is taught to contain inorganic pigments such as titanium dioxide ([0067]) whereby said pigments are added as a colorant and if they absorb in the region of the laser utilized in the laser welding process then they may be used in small quantities so as to allow for at least partial transmission of the laser light ([0067]). Joachimi et al. further teaches that the titanium dioxide utilized can be rutile,

Art Unit: 4123

which is a natural form of titanium dioxide known to possess a density in the range of 5.5 - 6.5 g/cm³ (at least 4 g/cm³). It is recognized by the examiner that titanium dioxide (rutile) was a well-known pigment at the time of the invention and it was understood that the color of said rutile was a brilliant white. It is also recognized by the examiner that although the composition is not explicitly stated as white, gray or tint color, given the short list of dyes presented by Joachimi et al. it would have been easily understood by one of ordinary skill in the art that said color scheme was easily attainable by utilizing the colorants set forth by the invention. It is further taught by Joachimi et al. that the utilization of pigments in the moulding composition is kept at a low level and given the examples of moulding composition mixes disclosed, the pigments are taught to at most account for 0.52 wt% (table 1, examples 1-4). It is recognized by the examiner that 0.52 wt% of the pigment would equate to approximately 0.5 parts by weight of the pigment per 100 parts by weight of the moulding composition.

Joachimi et al. fails to explicitly teach the particle size of the titanium oxide in the range of 100-400nm and also fails to teach that the overall composition has a ratio of 100 parts by weight of a thermoplastic resin to 0.01-3 parts by weight of the titanium oxide.

Aylward et al. teaches the use of titanium dioxide in photo imaging paper with the pigment diameter in the range of 0.1-0.26µm (i.e. 100-260nm) and preferably utilizing the rutile variant of said titanium dioxide (column 6, lines 25-37).

It would have been obvious to one of ordinary skill in the art at the time of the invention to include the titanium oxide in the amount of 0.01-3 parts by weight per 100

Art Unit: 4123

parts by weight of the thermoplastic resin in light of the teachings of Joachimi et al. because it was known that if pigments are added as a colorant and they absorb in the region of the laser utilized in the laser welding process then they should be used in small quantities so as to allow for at least partial transmission of the laser light ([0067]) and furthermore the explicit examples taught by Joachimi et al. indicate that other such pigments are utilized in the range of approximately 0.5 parts by weight of the pigment per 100 parts by weight of the thermoplastic resin (table 1, examples 1-4). It would have also been obvious to one of ordinary skill in the art at the time of the invention to modify the invention taught by Joachimi et al. and use titanium dioxide with an average particle size (i.e. diameter) in the range of 100-260nm in view of Aylward et al. because it was known that using particle sizes in said range allows for sufficient opaqueness rather than an undesired lack of opaqueness (less than 100nm) or increase in yellowing (over 260nm) (column 6, lines 30-37). It is recognized by the examiner that in order to obtain a whitish/opaque laser-transmitting composition it would have been recognized by one of ordinary skill in the art that the particle sizes taught by Aylward et al. should be preferentially utilized.

Regarding claim 2, the composition of claim 1 is taught as seen above. There is no specific reference by Joachimi et al. in regards to the refractive index of either of the thermoplastic resin or the titanium dioxide; however, it was well known in the art at the time the invention was made that rutile (a common form of titanium dioxide) has an extremely high refractive index (2.60+) that would exceed the refractive index of the thermoplastic resin therefore leading to an $n_1 - n_2$ that is inherently greater than 1.0. It is

Art Unit: 4123

taught by Joachimi et al. that the laser-transparent plastics can include polyamides, polypropylene and polycarbonate ([0027]-[0028]), which were all well-known in the art to have refractive indexes in the range of 1.5-1.6. Given the teachings of the above mentioned laser-transparent plastics and the rutile (titanium dioxide) colorant, it is clear the invention taught by Joachimi et al. would have resulted in $n_1 - n_2$ as greater than 1.0 and $1.4 < n_2 < 1.7$.

Regarding claim 3, the composition of claim 1 is taught as seen above. Joachimi et al. further teaches that the laser-transmissible resin (laser-transparent plastic) can be composed of polycarbonate or polypropylene ([0027]-[0028]).

Regarding claim 4, the composition of claim 1 is taught as seen above. It is further taught by Joachimi et al. that the utilization of pigments in the moulding composition is kept at a low level and given the examples of moulding composition mixes disclosed the pigments are taught to at most account for 0.52 wt% (table 1, examples 1-4). It is recognized by the examiner that 0.52 wt% of the pigment would equate to approximately 0.5 parts by weight of the pigment per 100 parts by weight of the moulding composition. The pigments disclosed in the examples (perinone, anthraquinone, pyrazolone) are all organic dyes that are inherently laser-transmissible for laser lights in the range of 800nm-1200nm.

Regarding claims 5 and 6, the composition of claim 1 is taught as seen above. Joachimi et al. further teaches that the composition may also contain fire retardants (i.e. flame retarders), mica, calcium carbonate or glass fibers ([0037]-[0038]).

Art Unit: 4123

Regarding claims 7-12, the claims are substantially similar to claims 1-6 and differ in that claims 1-6 are drawn to a composition and claims 7-12 are drawn to a workpiece molded out of said composition. It is taught by Joachimi et al. that the thermoplastic moulding composition discussed above can be produced into moulded parts (i.e. a workpieces) and can be bonded to other moulded parts by laser transmission welding ([0085]).

Regarding claim 13, the workpiece of claim 7 is taught as seen above. Joachimi et al. fails to explicitly teach the whiteness degree being at least 80.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to achieve said whiteness degree given that the limitations of the invention have been already been disclosed in the prior art (Joachimi et al.) and one of ordinary skill would have been able to utilize the invention disclosed by Joachimi et al. and in so desiring, would have understood how to mix the white colorants and in particular rutile as discussed above in a manner to attain to such a hue without parting from the scope of the invention.

Regarding claim 14, the workpiece of claim 7 is taught as seen above. It is specifically taught by Joachimi et al. that the moulding composition (used to mould the workpiece) has a transmission in the NIR (700-1200nm) of preferably greater than 30% ([0022]). Also, it would have been recognized by one of ordinary skill in the art at the time the invention was made that the teachings of Joachimi et al. are based upon the workpiece being laser-transmissible ([0020]).

Regarding claims 15-22, the claims are substantially similar to claims 7-14 and differ in that the claims have incorporated the workpiece being actively used in a laser welding process whereby the laser-transmissible workpiece is piled upon a laser-absorbing workpiece and then irradiated with a laser beam to weld the two thermally. It is taught by Joachimi et al. that the thermoplastic moulding composition discussed above can be produced into moulded parts (i.e. a workpieces) and can be bonded to other moulded parts by laser transmission welding ([0085]). Furthermore the method of laser welding is taught by Joachimi et al. to include the laser penetrating the first component, which is sufficiently transparent to the laser (transmissible) and then the laser light is absorbed by the second component (laser-absorbing) and heat is generated which leads to melting at the contact zone and bonding of the two components ([0007]).

Regarding claims 23 and 26, the claims hinge around the laser absorbent workpiece being of substantially the same whiteness degree as the above mentioned laser-transmissible workpiece and also being absorbent to the laser light in the range that the laser-transmissible workpiece is transmissible to the laser light.

It was well-known to those of ordinary skill in the art at the time the invention was made that the second workpiece used as the absorption layer must absorb the laser light in the range that the transmissible layer allows it to pass, otherwise the laser welding process would be inefficient or impossible. Furthermore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to achieve said whiteness degree given that the limitations of the invention have been already

Art Unit: 4123

been disclosed in the prior art (Joachimi et al.) and one of ordinary skill would have been able to utilize the invention disclosed by Joachimi et al. and in so desiring, would have understood how to mix the white colorants and in particular rutile as discussed above in a manner to attain to such a hue without parting from the scope of the invention. Also, as discussed above, a preferred characteristic of the invention taught by Joachimi et al. was to create two moulded parts that exhibit similar optical appearance in terms of color (i.e. same whiteness degree) ([0020]). The subsequent laser welding for the moulding composition taught by Joachimi et al. was meant to be carried out in the range of 700-1200nm as was consistent with the laser-transmissible moulding composition ([0022]). It is recognized by the examiner that Joachimi et al. does not teach the wavelength range of 800-1200nm, but it would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize said range, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. (*In re Aller*, 105 USPQ)

Regarding claim 25, the method of claim 23 is taught as seen above.

Furthermore it was recognized by Joachimi et al. that carbon black could be used as the laser-absorbing component ([0014]).

10. Claims 24, 27 and 28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Joachimi et al. (US 2003/0125429 A1) in view of Baumann et al. (US 7,148,286 B2) and further in view of Savitski et al. (US 6,596,122 B1).

Regarding claim 24, 27 and 28, the method of claim 23 is taught as seen above. As discussed above in claim 23 Joachimi et al. teaches the whitish resin, the need for both a laser-absorbent layer and laser-transmissible layer and the desire to create two optically similar (i.e. both layers are same color) layers. Joachimi et al. further teaches the need for the absorptive layer and transmissible layer to be functional for laser light wavelengths in the range of 700-1200nm as is also discussed in claim 23 above. Further disclosed by Joachimi et al. are the teachings that absorption and thus conversion of laser light into heat (i.e. laser welding) can be controlled by means of pigments, filler, and other additives indicating that it was known at the time of the invention that the addition of other additives can be used as a means to increase the absorption of the absorptive layer if so is desired without parting from the scope of the invention.

Joachimi et al. fails, however, to explicitly teach the whitish resin material applied to the laser-absorptive layer as either a film, an ink or a paint despite the fact that it would have been recognized that the absorbent layer must be absorbent in the wavelength range of 700-1200nm to function as a proper laser-absorbing member in the invention taught by Joachimi et al..

Savitski et al. teaches a method for joining plastic materials whereby the bonding of the materials occurs by passing radiation through one or more transmitting materials and into a radiation absorbing material (i.e. laser welding), which in turn generates heat and effects the bond. (column 1, lines 14-20). The method further defines radiation as consistent of a wide variety of lasers some of which include YAG and carbon dioxide

Art Unit: 4123

lasers (column 6, lines 35-39). It is further taught by Savitski that a wide variety of combinations of transmitting and absorbing materials can be made that includes emulsions of pigments (i.e. whitish resin) readily painted onto interface materials or using the absorbing material as a thin film as two such methods of generating the absorbing material (column 4, lines 1-19).

It would have been obvious to one of ordinary skill in the art at the time of the invention to utilize the resin taught by Joachimi et al. in such a manner as that disclosed above by Savitski et al. since it was known that absorbing materials can be constructed in numerous ways extending beyond merely moulding them into a workpiece and it would have been understood that these uses were interchangeable and could be preferentially utilized dependent on the immediate needs of the user.

Conclusion

11. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Mumcu et al. (US 4,689,364 A) was also found to be applicable though it was not used in the formulation of the office action.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael N. Orlando whose telephone number is (571)-270-5038. The examiner can normally be reached on Monday-Friday, 7:30am-5:00pm, alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph Del Sole can be reached on (571)272-1130. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 4123

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MO


JOSEPH DEL SOLE
SUPERVISORY PATENT EXAMINER
10/31/07